

Patient Information Leaflet

Clotrimazole 200mg Vaginal Tablets (Candid V-3)

Read all of this leaflet carefully before you start using this medicine because it contains important information for you.

This medicine is available without prescription. However, you still need to use Candid V-3 Tablets carefully to get the best results from it.

- Keep this leaflet. You may need to read it again.
- Ask your pharmacist if you need more information or advice.
- You must contact a doctor if your symptoms worsen or do not improve in 7 days.
- If you have any unusual effects after using this product, tell your doctor or pharmacist.

In this leaflet

1. What is Candid V-3 (Clotrimazole 200mg) Vaginal Tablet and what is it used for?
2. Before you use Candid V-3 Vaginal Tablets
3. How to use Candid V-3 Vaginal Tablets
4. Possible side effects
5. How to store Candid V-3 Vaginal Tablets
6. Further information

1. WHAT IS CANDID V-3 TABLET AND WHAT IS IT USED FOR?

Candid V-3 Vaginal Tablets is indicated for the treatment of vaginal thrush. It is inserted into the vagina for treatment at the site of infection.

Only use this product if you have been previously diagnosed by your doctor as having vaginal thrush.

The active substance in Candid V-3 Vaginal Tablets is clotrimazole. Clotrimazole belongs to a group of medicines called azoles and is an antifungal agent which fights the cause of infections such as vaginal thrush.

2. BEFORE YOU USE CANDID V-3 TABLET

Do not use Candid V-3 Tablet:

- If you are allergic (hypersensitive) to clotrimazole or any of the other ingredients of Candid V-3 Vaginal Tablets.
- During your period as it may be less effective.

Before using Candid V-3 Vaginal Tablet, you should see your doctor if:

- You are unsure whether you have thrush or this is the first time you have had these symptoms.
- You have had more than two infections of thrush in the last six months.
- You or your partner have ever had a sexually transmitted disease.
- You are aged under 16 or over 60.
- You have ever had an allergic reaction to Candid V-3 Vaginal Tablet or any other vaginal antifungal products.
- You have any of the following symptoms:
 - ✓ Irregular vaginal bleeding.
 - ✓ Abnormal vaginal bleeding or a blood-stained discharge.
 - ✓ Ulcers, blisters or sores of the vagina or vulva.
 - ✓ Lower abdominal pain.
 - ✓ Pain or difficulty in passing urine.
 - ✓ Fever or chills.
 - ✓ Feeling sick or vomiting.
 - ✓ Diarrhoea.
 - ✓ A foul smelling discharge from the vagina.

This is because Candid V-3 Vaginal Tablets may not be the right treatment for you.

Special precautions:

As with other pessaries, this product may reduce the effectiveness of rubber contraceptives, such as condoms or diaphragms. Consequently, you should use alternative precautions for at least five days after using this product.

Do not use tampons, intravaginal douches, spermicides or other vaginal products while using this product.

Avoid vaginal intercourse while you have thrush and during use of this product because your partner could become infected.

Using other medicines:

Please tell your doctor or pharmacist if you are taking or have recently taken any other medicines, including medicines obtained without a prescription.

Inform your doctor if you are taking tacrolimus or sirolimus (used to reduce the immune response to prevent rejection after an organ transplant).

Pregnancy and breast-feeding:

If you are pregnant, breast-feeding or trying for a baby, tell your doctor or midwife before using Candid V-3 Vaginal Tablet. If you have informed your doctor or midwife already, follow his/her instructions carefully.

To treat internal thrush, your doctor may recommend that you use the vaginal tablet without the help of an applicator.


3. HOW TO USE CANDID V-3 VAGINAL TABLET

If Candid V-3 Vaginal Tablet has been prescribed for you by your doctor, follow any instructions he/she may have given you. If you purchased this product without a prescription, follow these directions closely:

The applicator should be used to insert the vaginal tablet as high as possible into the vagina, preferably before going to sleep on **three consecutive nights** for convenient and comfortable treatment. Alternatively, two tablets may be inserted into the vagina before going to sleep on three consecutive nights.

SPECIAL DIRECTION FOR USING THE APPLICATOR:

1. Pull out plunger A until it stops. Place one vaginal Tablet into The applicator B.
2. Insert applicator containing the tablet carefully as deep as Possible into the vagina (this is done best by lying on the back).
3. Push plunger A until it stops, thereby depositing the tablet into the vagina. Withdraw the applicator.
4. After use, remove plunger A completely by pulling out of the Applicator B. Thereafter wash both in warm (not boiling) Soapy water, and dry completely.



Candid V-3 Vaginal Tablet is for use in the vagina only:

Do not put the tablet in your mouth or swallow it.

If the tablet is swallowed accidentally, tell your doctor straight away or contact the Accident and Emergency Department of your nearest hospital.

If you forget to use Candid V-3 Vaginal Tablet:

Candid V-3 Vaginal Tablet should be used for six consecutive nights if one tablet is used, or three consecutive nights if two tablets are used. However, if you forget to insert a tablet, follow the advice given below:

When you remember, continue with your course of treatment. If you have forgotten for more than one day, your infection may not be fully treated, so if symptoms persist upon completion of this course, see your doctor.

4. POSSIBLE SIDE EFFECTS

Like all medicines, Candid V-3 Vaginal Tablet can cause side effects, although not everybody gets them.

As with all medicines, some people may be allergic to the tablet. If you are allergic, a reaction will occur soon after you have used the medicine. If you experience an allergic reaction or the redness, burning, pain, itching or swelling get worse, stop using this product and tell your doctor straight away or contact the Accident and Emergency Department of your nearest hospital. Signs of an allergic reaction may include:

- Rash.

- Swallowing or breathing problems.
- Swelling of your lips, face, throat or tongue.
- Weakness, feeling dizzy or faint.
- Nausea.

After you use the tablet you might experience:

- Itching, rash, swelling, redness, discomfort, burning, irritation, vaginal peeling or bleeding.
- Pain in the abdomen or pelvic area.

If you experience any of the above effects or react badly to the tablet in any other way not listed in this leaflet, tell your doctor immediately.

Reporting of side effects

If you get any side effects, talk to your doctor, pharmacist or nurse. This includes any possible side effects not listed in this leaflet.

5. HOW TO STORE CANDID V-3 VAGINAL TABLETS

Store below 30°C. Protect from moisture and light. Keep all Medicines out of reach of children.

6. FURTHER INFORMATION

What Candid V-3 Vaginal Tablet contains:

- The active substance is clotrimazole at strength of 200mg.
- The other ingredients are ...
- Lactose Monohydrate, Maize Starch, Methyl Paraben, Propyl Paraben, Sodium Starch Glycolate, Talc, Magnesium Stearate, Colloidal Silicon Dioxide

What Candid V-3 Vaginal Tablet looks like and contents of the pack:

A printed carton with leaflet, applicator packed in polypropylene bag and a printed aluminium strip containing 3 white biconvex, uncoated vaginal tablets with G logo on one side and V3 on other side.

7. Further information about vaginal thrush:

Vaginal thrush (candidiasis) is a common infection that most women suffer from at some time in their lives and is not caused by lack of personal hygiene.

Thrush is caused by a yeast (fungus) called Candida which lives harmlessly in the vagina and other parts of the body, without you even noticing it. However, the natural balance that keeps Candida under control can be upset by many factors such as hormonal changes (menstruation, contraceptive pill, pregnancy, menopause), poor health, antibiotics, perfumed soaps, bath additives and tight clothing.

If the natural pH balance is altered, the level of yeast increases and can develop into a thrush infection causing any of the following symptoms: persistent burning and/or itching around the vagina and vulva, redness, swelling and soreness of the tissues of the vagina and vulva and a whitish, odourless discharge from the vagina. Not everybody who has thrush has all these symptoms; you may have only one of them.

8. How to avoid future recurrences:

- Wear cotton knickers and loose clothing.
- Wash daily.
- After going to the toilet, wipe yourself from the front to back as a thrush infection may be transferred from the bowel.
- Change your sanitary protection regularly.
- Try to avoid wearing tights, nylon knickers and close fitting jeans.
- Try to avoid washing with perfumed soaps or using vaginal deodorants.
- Do not wash or rub yourself hard with sponges or flannels and avoid hot baths with strong perfumed oils.

If you are still worried or have any questions about the symptoms or the treatment of thrush, do not hesitate to ask your doctor or pharmacist for advice.

Marketing Authorisation Holder:

Glenmark Pharmaceuticals Limited, India

Manufacturer:

Glenmark Pharmaceutical Limited
PLOT N 37, 39, D- Road, MIDC, Satpur, Nasik -422007,
Maharashtra, India.

This leaflet was last revised in Jan 2019.