



AGOG Pharma Ltd.



(WHO - GMP CERTIFIED - GOVT RECOGNISED EXPORT HOUSE)

Regd. Office & Factory : Plot No. 33, Sector II, The Vasai Taluka Industrial Co-op. Estate Ltd. Gaurai-pada, Vasai (E), Dist. Thane - 401 208. INDIA.
Tel. : 95250 - 2455801 / 2452714 / 2453525 • Fax : 95250 - 2452074 (0091 - 250 - 2452074) • Email : agog@vsnl.net & agogpharma@rediffmail.com

c. Product Information Leaflet (PIL)

Dosage and Administration :
Adults : 25-50 mg 2-4 times daily.

Precautions and warnings :
Indometacin should be given to patients with active peptic ulcer, renal 'or' hepatic dysfunction. Usually not prescribed for children under 14 except for patent ductus arteriosus in neonates.
Unsafe for lactation mother. For elder, reduce dose if necessary.

Adverse reactions/side effects :
Gastric irritation, nausea, anorexia, gastric bleeding, diarrhoea, frontal headache, dizziness, mental confusion, hallucination, depression, psychosis, can include asthma.

Storage Condition :
Store in a cool and dry place. Protect from light and excess heat.
Keep medicine out of reach of children.

Presentation :
Bulk pack of 1000's capsules.
Blister pack of 10 x 10 capsules.
Blister pack of 100 x 10 capsules.

Manufactured in India by



AGOG PHARMA LTD.

Plot No. 33, Sector II, The Vasai Taluka Industrial Co-op. Estate Ltd.,
Vasai (E), Dist. Thane. INDIA

INDOS-25 (Indometacin Capsules BP)

Appearance :
Ivory/Ivory coloured hard gelatin capsule of size "3" having printing "INDO" & "25" on cap and body alternately, containing white powder.

Label claim :
Each capsule contains : Indometacin BP 25 mg

Pharmacodynamic :
Indometacin is a nonselective inhibitor of cyclooxygenase enzymes that participate in prostaglandin synthesis. Prostaglandins are hormone-like molecules normally found in the body, where they have a wide variety of effects, some of which lead to pain, fever and inflammation.

Indometacin has two additional modes of actions with clinical importance

1. It inhibits motility of polymorphonuclear leucocytes
2. It uncouples oxidative phosphorylation in cartilaginous and hepatic mitochondria, like salicylates

These additional effects account as well for the analgesic and the anti-inflammatory properties.

Pharmacokinetic :
Indometacin absorption is almost 100% following oral administration with half life of 4.5 hrs. It readily crosses the placenta. It binds to plasma protein 99% crosses the placenta. It undergoes hepatic metabolism and 60% is excreted through urine and the rest through faecal route.

Indications :
Rheumatoid arthritis not controlled by aspirin, ankylosing, spondylitis, destructive arthropathias and psoriatic arthritis, acute gout Barthe's syndrome. -



AGOG Pharma Ltd.



(WHO - GMP CERTIFIED - GOVT RECOGNISED EXPORT HOUSE)

Regd. Office & Factory : Plot No. 33, Sector II, The Vasai Taluka Industrial Co-op. Estate Ltd. Gaurapada, Vasai (E), Dist. Thane - 401 208. INDIA.
Tel. : 95250 - 2455801 / 2452714 / 2453525 • Fax : 95250 - 2452074 (0091 - 250 - 2452074) • Email : agog@vsnl.net & agogpharma@rediffmail.com

d. Patient Information Leaflet (PIL)

Dosage and Administration :

Adults : 25-50 mg 2-4 times daily.

Precautions and warnings :

Indometacin should be given to patients with active peptic ulcer, renal 'or' hepatic dysfunction. Usually not prescribed for children under 14 except for patent ductus arteriosus in neonates.

Unsafe for lactation mother. For elder, reduce dose if necessary.

Adverse reactions/side effects :

Gastric irritation, nausea, anorexia, gastric bleeding, diarrhoea, frontal headache, dizziness, mental confusion, hallucination, depression, psychosis, can include asthma.

Storage Condition :

Store in a cool and dry place. Protect from light and excess heat. Keep medicine out of reach of children.

Presentation :

Bulk pack of 1000's capsules.

Blister pack of 10 x 10 capsules.

Blister pack of 100 x 10 capsules.

Manufactured in India by



AGOG PHARMA LTD.

Plot No. 33, Sector II, The Vasai Taluka Industrial Co-op. Estate Ltd.,
Vasai (E), Dist. Thane. INDIA

INDOS-25 (Indometacin Capsules BP)

Appearance :

Ivory/ivory coloured hard gelatin capsule of size "3" having printing "INDO" & "25" on cap and body alternately, containing white powder.

Label claim :

Each capsule contains : Indometacin BP 25 mg

Pharmacodynamic :

Indometacin is a nonselective inhibitor of cyclooxygenase enzymes that participate in prostaglandin synthesis. Prostaglandins are hormone-like molecules normally found in the body, where they have a wide variety of effects, some of which lead to pain, fever and inflammation.

Indometacin has two additional modes of actions with clinical importance

1. It inhibits motility of polymorphonuclear leucocytes
1. It uncouples oxidative phosphorylation in cartilaginous and hepatic mitochondria, like salicylates

These additional effects account as well for the analgesic and the anti-inflammatory properties.

Pharmacokinetic :

Indometacin absorption is almost 100% following oral administration with half life of 4.5 hrs. It readily crosses the placenta. It binds to plasma protein 99% crosses the placenta. It under goes hepatic metabolism and 60% is excreted through urine and the rest through faecal route.

Indications :

Rheumatoid arthritis not controlled by aspirin, ankylosing, spondylitis, destructive arthropathias and psoriatic arthritis, acute gout Bartte's syndrome. .