



AGOG Pharma Ltd.



(WHO - GMP CERTIFIED - GOVT RECOGNISED EXPORT HOUSE)

Regd. Office & Factory : Plot No. 33, Sector II, The Vasai Taluka Industrial Co-op. Estate Ltd. Gauraipada, Vasai (E), Dist. Thane - 401 208, INDIA.
Tel. : 95250 - 2455801 / 2452714 / 2453525 • Fax : 95250 - 2452074 (0091 - 250 - 2452074) • Email : agog@vsnl.net & agogpharma@rediffmail.com

LEAFLET

AGOMIDE TABLETS

(Furosemide Tablets BP 40 mg)

Appearance

White circular flat bevelled edge uncoated tablets having a breakline on one side and plain on other side of each tablets.

Label Claim

Each tablet contains :

Furosemide BP 40 mg.

Clinical Pharmacology

It is a strong diuretic but lacks specific anti-hypertensive action (has no direct effect on resistance vessels). Thus antihypertensive efficacy is directly related to diuretic potency. Fall in BP is due only to reduced plasma extracellular fluid volume.

Indication(s)

Oedema is congestive heart failure, hepatic and renal disease. Cerebral oedema, forced diuresis for poisoning, toxæmia of pregnancy. Hypertension and hypertensive crisis.

Dosage and Administration (directions for use)

Adult 20 - 80 mg as single dose. If satisfactory results are not obtained than 20-40 mg after 6 hrs. Infants and children upto 12 years : 2 mg/kg bodywt increased by 1-2 mg/kg 6-8 hrs after the previous dose. Max 40mg/ml.

Precautions & Warnings

Electrolyte imbalance (monitor serum electrolytes).

Paediatrics : Can be used safety.

Pregnancy : Contraindicated

Lactation : Used if clearly indicated

Elderly : Increased risk of side effects. Dose to be reduced.

1.5.3 Patient information leaflet (PIL)



AGOG Pharma Ltd.



(WHO - GMP CERTIFIED - GOVT RECOGNISED EXPORT HOUSE)

Regd. Office & Factory : Plot No. 33, Sector II, The Vasai Taluka Industrial Co-op. Estate Ltd. Gauraipada, Vasai (E), Dist. Thane - 401 208, INDIA.
Tel. : 95250 - 2455801 / 2452714 / 2453525 • Fax : 95250 - 2452074 (0091 - 250 - 2452074) • Email : agog@vsnl.net & agogpharma@rediffmail.com

Contraindications

Renal failure with anuria, potassium deficiency (i.e. mainutrition, diarrhoea). Hypersensitivity to Furosemide & sulphonamides, hypokalaemia and/or hyponatraemia & hepatic coma. Hypovolaemia with/without hypotention.

Adverse reactions/Side effects

Vertigo, visual impairment sodium deficiency may cause orthostatic hypotension, calf muscle cramps, anorexia, weakness, dizziness, drowsiness, vomiting, hyperuricaemia reduced glucose tolerance, deafness.

Storage

Store under normal storage conditions (15°C - 30°C). Protect from light. Keep medicine out of reach of children.

Presentation

A Bulk pack of 1000's Tablets.

Blister pack of 10 x 10 Tablets.

Blister pack of 100 x 10 Tablets.

Manufactured in India by



AGOG PHARMA LTD.

Plot No. 33, Sector II, The Vasai Taluka Industrial Co-op. Estate Ltd.,
Vasai (E), Dist. Thane. INDIA