



LEAFLET

AGOFEN

(Ibuprofen Oral Suspension BP)
For Children

Appearance:

Light pink coloured suspension.

Composition:

Each 5ml spoonful contains:

Ibuprofen BP 100 mg.

Excipients q.s.

Category:

Nonopioid analgesics

Indications:

Ibuprofen provides relief from fever, mild to moderate pain in conditions such as dysmenorrhoea, rheumatoid arthritis, migraine, post operative pain, osteoarthritis, joint disorders and in other musculo-skeletal

Pharmacological actions:

The propionic acid derivatives are all effective inhibitors of cyclo-oxygenase responsible for the biosynthesis of prostaglandins. All of these agents alter platelet function and prolong bleeding time. Ibuprofen is well absorbed after oral administration. It is rapidly metabolized and eliminated in the urine. The excretion of Ibuprofen is virtually complete within 24 hours after the last dose. The serum half life is 1.8 to 2.0 hours.

Dosage and administration:

To be taken three to four times a day preferably after food.



AGOG Pharma Ltd.



(WHO - GMP CERTIFIED - GOVT RECOGNISED EXPORT HOUSE)

Regd. Office & Factory : Plot No. 33, Sector II, The Vasai Taluka Industrial Co-op. Estate Ltd. Gauripada, Vasai (E), Dist. Thane - 401 208, INDIA.
Tel. : 95250 - 2455801 / 2452714 / 2453525 • Fax : 95250 - 2452074 (0091 - 250 - 2452074) • Email : agog@vsni.net & agogpharma@rediffmail.com

CHILDREN :

8-12 yrs Two 5 ml spoonfuls

3-7 yrs One 5 ml spoonful

1-2 yrs Half a 5 ml spoonful

Under 1 yr Not recommended

Or as directed by the Physician.

Contraindications:

Ibuprofen is contraindicated in following conditions : Peptic ulcer, Pregnancy, Gastrointestinal bleeding, lactation, renal failure, Bronchospasm.

Warnings:

Bronchospasm may be precipitate in patients suffering from or with a previous history of bronchial asthma. Ibuprofen should not be given to patient in whom aspirin and other non-steroidal antiinflammators, drugs, bleeding disorders.

Side effects:

Gastrointestinal intolerance, rare jaundice, thrombocytopenia oedema depression, blurred vision, drowsiness & other reactions are also common.

Interactions:

Aspirin displaces Ibuprofen for serum binding sites.

Storage:

Store under normal storage condition (15°C to 30°C)

Protect from light.

Keep all medicines out of reach of children.

Packing & Presentation:

Suspensions : 60 ml, 100 ml. pet bottle.

1319/01/01



Manufactured in India by:

AGOG PHARMA LTD.

Plot No. 33, Sector II, The Vasai Taluka Indl.

Co-op. Estate Ltd., Vasai (East), Dist. Thane. INDIA.