

PALOX
Palonosetron Hydrochloride Injection 0.25mg/5mL



Hetero

Patient information leaflet

(For All Products not subject to Medical Prescription)

PALOX (Palonosetron Hydrochloride Injection 0.25mg/5mL)

PACKAGE LEAFLET: INFORMATION FOR THE USER

Read all of this leaflet carefully before you start taking this medicine.

Keep this leaflet. You may need to read it again.

If you have any further questions, please ask your doctor or pharmacist.

This medicine has been prescribed for you. Do not pass it on to others. It may harm them, even if their symptoms are the same as yours.

If any of the side effects get serious, or you notice any side effects not listed in this leaflet, please tell your doctor or pharmacist

What is in this leaflet:


1. What Palonosetron Hydrochloride is and what it is used for
2. What you need to know before you use Palonosetron Hydrochloride is given to you
3. How Palonosetron Hydrochloride is given to you
4. Possible side effects
5. How to store Palonosetron Hydrochloride
6. Contents of the pack and other information

1. What Palonosetron Hydrochloride is and what it is used for

Palonosetron Hydrochloride belongs to a group of medicines known as serotonin (5HT₃) antagonists.

These have the ability to block the action of the chemical, serotonin, which can cause nausea and vomiting.

Palonosetron Hydrochloride is used for the prevention of nausea and vomiting associated with cancer chemotherapy in adults, adolescents and children over one month of age.



PALOX

Palonosetron Hydrochloride Injection 0.25mg/5mL

2. What you need to know before you use Palonosetron Hydrochloride is given to you

Do not use Vancomycin Hydrochloride

- If you are allergic to palonosetron or any of the other ingredients of this medicine

Warnings and precautions

Talk to your doctor, pharmacist or nurse before using Palonosetron Accord.

- If you have acute bowel obstruction or a history of repeated constipation.
- If you are using palonosetron accord in addition to other medicines that may induce an abnormal heart rhythm such as amiodarone, nifedipine, quinidine, moxifloxacin, erythromycin, haloperidol, chlorpromazine, quetiapine, thioridazine, domperidone.
- If you have a personal or family history of alterations in heart rhythm (QT prolongation).
- If you have other heart problems.
- If you have an imbalance of certain minerals in your blood such as potassium and magnesium which has not been treated.

It is not recommended to take palonosetron accord in the days following chemotherapy unless you are receiving another chemotherapy cycle.

Other medicines and Palonosetron Accord

SSRIs (selective serotonin reuptake inhibitors) used to treat depression and/or anxiety including fluoxetine, paroxetine, sertraline, fluvoxamine, citalopram, escitalopram, venlafaxine, duloxetine.

Pregnancy and breast-feeding

Pregnancy

If you are pregnant or think you might be, your doctor will not administer palonosetron accord to you unless it is clearly necessary.


It is not known whether palonosetron accord will cause any harmful effects when used during pregnancy.

Ask your doctor or pharmacist for advice before using any medicine if you are pregnant or think you might be.

Breast-feeding

It is not known if palonosetron accord is found in breast milk.

Ask your doctor or pharmacist for advice before using palonosetron accord if you are breast-feeding.



PALOX

Palonosetron Hydrochloride Injection 0.25mg/5mL

Driving and using machines

Palonosetron accord may cause dizziness or tiredness. If affected, do not drive or use any tools or machines.

Important information about some of the ingredients of Palonosetron Accord

This medicine contains less than 1 mmol sodium (23 mg) per vial, i.e. essentially 'sodium- free'

3. How Palonosetron Hydrochloride is given to you

A doctor or nurse will normally inject palonosetron accord about 30 minutes before the start of chemotherapy.

Adults

The recommended dose of palonosetron accord is 250 micrograms given as a rapid injection into a vein.

Children and adolescents (aged 1 month to 17 years)

The doctor will decide the dose, depending on bodyweight, however the maximum dose is 1500 micrograms.

Palonosetron accord will be given as a slow infusion into a vein.

If you have any further questions on the use of this medicine, ask your doctor, pharmacist or nurse.

4. POSSIBLE SIDE EFFECTS

Like all medicines, this medicine can cause side effects, although not everybody gets them.

Adults

Common

These may affect up to 1 in 10 people

- Headache
- Dizziness
- Constipation and diarrhoea.

Uncommon

These may affect up to 1 in 100 people

- High or low blood pressure
- Abnormal heart rate or lack of blood flow to the heart
- Change in the color of the vein and/or veins becoming larger



PALOX

Palonosetron Hydrochloride Injection 0.25mg/5mL

- Abnormally high or low levels of potassium in the blood
- High levels of sugar in the blood or sugar in the urine
- Low levels of calcium in the blood
- High levels of the pigment bilirubin in the blood
- High levels of certain liver enzymes
- Elevated moods or feeling of anxiousness
- Sleepiness or trouble sleeping
- Decrease or loss of appetite
- Weakness, tiredness, fever or flu like symptoms
- Numbness, burning, prickling or tingling sensations on the skin
- Itchy skin rash
- Impaired vision or eye irritation
- Motion sickness
- Ringing in the ear
- Hiccups, flatulence, dry mouth or indigestion
- Abdominal (stomach) pain
- Difficulty urinating
- Joint pain
- Electrocardiogram abnormalities (QT prolongation)

Very rare

These may affect up to 1 in 10,000 people

Allergic reactions to palonosetron accord


The signs may include swelling of the lips, face, tongue or throat, having difficulty breathing or collapsing, you could also notice an itchy, lumpy rash (hives), burning or pain at the site of injection.

Children and adolescents

Common

These may affect up to 1 in 10 people

- Headache



PALOX

Palonosetron Hydrochloride Injection 0.25mg/5mL

Uncommon

These may affect up to 1 in 100 people

- Dizziness
- Jerky body movement
- Abnormal heart rate
- Cough and shortness of breath
- Nose bleed
- Itchy skin rash or hives
- Fever
- Pain at the site of infusion

5. How to store Palonosetron Hydrochloride

Keep this medicine out of the sight and reach of children.

Do not use this medicine after the expiry date which is stated on the carton and the vial after EXP.

The expiry date refers to the last day of that month.

This medicine does not require any special storage conditions.

Single use only, any unused solution should be disposed of.

6. CONTENTS OF THE PACK AND OTHER INFORMATION

What Palonosetron Hydrochloride contains

The active substance is palonosetron (as hydrochloride).

Each ml of solution contains 50 micrograms of palonosetron. One vial of 5 ml of solution contains 250micrograms of palonosetron.


- The other ingredients are mannitol, disodium edetate (refer section 2 for sodium content), sodium citrate, citric acid monohydrate, sodium hydroxide (refer section 2 for sodium content), hydrochloric acid, concentrated and water for injections.

What Palonosetron Hydrochloride looks like and contents of the pack

Palonosetron Accord solution for injection is a clear, colourless solution supplied in a 6 ml glass vial, closed with chlorobutyl rubber stopper and sealed with a flip-off aluminium seal. Each vial contains one dose.

Pack size of one vial

PALOX
Palonosetron Hydrochloride Injection 0.25mg/5mL



Hetero

Marketing Authorization Holder and Manufacturer

Marketing Authorisation Holder:

Name: **Aspiro Pharma Limited.**
Company name: **Aspiro Pharma Limited.**
Address: H.No.8-3-166/7/1, 3rd floor, Erragadda, Hyderabad – 500018, Telangana.
Country: INDIA
Telephone : +91 40 23704923/ 24/25, +91 40 23707171 / 7272 / 7744
Telefax : +91-40-23704035/23813359
E-Mail : vinodkumar.u@aspiropharma.com

Manufacturer:

Name: **Aspiro Pharma Limited.**
Company name: **Aspiro Pharma Limited.**
Address: Survey No. 321, Biotech Park, Phase III, Karkapatla, Markook Mandal,
Siddipet District, Telangana (S)-502281, INDIA.
Country: INDIA
Telephone : +91 9959644022, 9959644077
Telefax : --
E-Mail : vinodkumar.u@aspiropharma.com